

CPD QUESTIONNAIRE 12.4.1

Article: Preparation design and considerations for direct posterior composite inlay/onlay restoration. Fligor, p6

- 1 Which statement is correct:**
 - a The preparation requirements for CAD/CAM-generated restorations are the same as for laboratory-made pressed restorations
 - b The preparation requirements for CAD/CAM-generated restorations are different from laboratory-made pressed restorations
 - c Neither of the above
- 2 Which statement is false:**
 - a Bonded porcelain restorations feature many undercuts
 - b A traditional, interproximal amalgam filling features many undercuts
 - c Bonded porcelain restorations should not contain any undercuts
- 3 Once cement cleanup has been achieved, the author recommends a clearance of:**
 - a 0.1mm - 0.5mm
 - b 10mm - 15mm
 - c 1mm - 1.5mm
- 4 According to the author, which of the following could lead to porcelain failure:**
 - a Short butt joint margin
 - b An interproximal box leading to a narrow isthmus width and shallow depth
 - c Sharp internal line angles
 - d None of the above
 - e All of the above
- 5 In the case described, the CAD/CAM system used was operated in:**
 - a Replication Mode
 - b Correlation Mode
 - c Dental database mode

Article: Dental erosion and GORD - Gastro Oesophageal Reflux Disorder. Touyz et al, p18

- 6 GORD is a condition which affects mainly:**
 - a Middle-aged males
 - b Young males
 - c Young females
 - d Middle-aged females
- 7 A definitive diagnosis of Bulimia nervosa can only be made when Binge-eating followed by self-induced post-prandial vomiting occurs:**
 - a More than twice a week for at least two weeks
 - b More than twice a week for at least twelve months
 - c More than twice a week for at least twelve weeks
- 8 The following similarities are shared by Anorexia nervosa and Bulimia:**
 - a Low self-image
 - b Minimal drug abuse
 - c Intelligent
 - d Electrolyte imbalance
 - e a and c
 - f b and d
- 9 The stand alone condition frequently blamed for causing dental palatal erosion is:**
 - a Pica
 - b Rumination
 - c Alcoholism
 - d Gastro Oesophageal Reflux Disease (GORD)
- 10 Which statements are correct: In anorexic patients:**
 - a Patients do not have reduced decay rates or salivary flow.
 - b Prolonged periods of dietary restraint does not change the bacteria associated with dental caries
 - c Some sufferers may develop gingivitis with gingival recession
 - d All of the above
 - e None of the above

CPD QUESTIONNAIRE 12.4.2

Article: Etiology of Temporomandibular disorders: the journey so far. Bhat, p46

- 1 The Biomedical theory was proposed by**
 - a Zarb and Speck
 - b Costen
 - c Reade
 - d Stegenga
- 2 Which theory prosed that the occlusal interferences were the causative factor for TMD:**
 - a The psychophysiological theory
 - b The neuromuscular theory
 - c The osteoarthritic theory
 - d The biomedical theory
- 3 The highest prevalence of TMD's is found in:**
 - a Middle-aged females
 - b Teenage males
 - c Females of reproductive age
- 4 The etiologic role of which factor involved in TMD is the most discussed and controversial:**
 - a Parafunctional habits
 - b The occlusal factor
 - c Trauma
- 5 The most currently accepted theory regarding the etiology of TMD is based on:**
 - a The biopsychosocial model
 - b The biomedical model
 - c neither of the above

Article: Comparison Of Two Commercially Available Toothpastes On The Salivary Streptococcus Mutans Count In Urban Preschool Children - An In Vivo Study. Patil et al, p72

- 6 The level of fluoride in the toothpaste described In the study is:**
 - a 458 ppm
 - b 500 ppm
 - c 1000 ppm
- 7 The Exclusion criteria for selection of the students participating in the study included:**
 - a Children undergoing orthodontic therapy
 - b DMft 0
 - c Marked intraoral soft tissue pathology
 - d a and c
 - e all of the above
- 8 Prior to the Baseline count, a washout period was given wherein the children brushed their teeth with their regular brush, but without toothpaste, for a duration of:**
 - a 30 days
 - b 2 months
 - c 2 weeks
- 9 The present study showed that Neem has sustained action after**
 - a 30 days of use
 - b 90 days of use
 - c 150 days of use
- 10 When compared to Baseline values, the two toothpastes under evaluation showed a significant reduction in the count of:**
 - a Lactobacillus bacteria
 - b Streptococcus mutans bacteria
 - c Both of the above
 - d Neither of the above