

1 Which of the following statements is correct.

- a NobelGuide™ can be used for treatment planning.
- b NobelGuide™ can be used to provide a surgical template.
- c NobelGuide™ can be used for the pre-surgical production of prosthetics.
- d All of the above

2 The computer based NobelGuide™ surgical Template

- a is used for implant installation
- b to reconstitute a laboratory model for prosthesis fabrication.
- c Either or both of the above.
- d Both of the above

3 The Nobel Biocare guided abutment is used

- a as an abutment of choice in any implant application.
- b as an alternative to ball attachments in overdentures.
- c in implant cases with axial inclination problems.
- d specifically as part of the Teeth-in-an-Hour™ procedure.

4 Application of the guided abutment requires a dimension between occlusal surface and implant head of

- a at least 9mm.
- b 5 – 9mm.
- c at least 5mm.
- d at least 7mm.

5 The level of accuracy between computer planning and clinical result in Teeth-in-an-Hour™ is

- a approximately 1mm or less.
- b 50 microns.
- c 100 microns.
- d 200 microns.

6 Teeth-in-an-Hour™ prosthetic solutions can be

- a definitive restorations.
- b provisional restorations.
- c screw retained restorations.
- d cemented restorations.
- e any of the above.

7 Immediately loaded implants

- a must be cross-arched splinted.
- b must have high primary stability.
- c require careful attention to occlusal load.
- d can only be used anteriorly.

8 The evidence base for the partially edentulous application of Teeth-in-an-Hour™

- a is limited but encouraging.
- b well documented in numerous scientific articles.
- c has 10 years of clinical follow-up.
- d is described in several textbooks.

9 The radiographic guide used at CT scanning

- a should be made by the dentist.
- b is best made in the dental laboratory.
- c is the most crucial step in the procedure.
- d can be modified as required after CT scanning.

10 Which of the following statements is correct?

- a An existing removable partial denture can be used as the radiographic guide.
- b Radiographic guides must be made of radio-opaque acrylic so that they can be visualized during the CT procedure.
- c Radiographic guides must occlude in centric to properly record the occlusal level.
- d None of the above.

DISCUS DENTAL

THE ALL NEW ZOOM2

ZOOM2® CHAIRSIDE KIT

ZOOM!® PROTECTIVE EYEWEAR

ZOOM2® LIP & TONGUE RETRACTORS

ZOOM!® LIP & TONGUE RETRACTORS

ZOOM2® WHITENING LAMP

LEASE AGREEMENT
R1 200 per month for a Zoom2 lamp for 24 months

SPECIAL DEAL
R25 000 includes a retractor set and 5 Zoom2 procedure kits

How Zoom2 Light Activation Technology Works

Stage 1	Stage 2	Stage 3	Stage 4

An average of 8 shade changes in just 45 minutes

interAfrica dental

Head Office
1315 Church Street
Hatfield, Pretoria
T: +27 12 342 8551/2/6
F: +27 12 342 8541

P O Box 11050
Hatfield
0028 South Africa

iad@mweb.co.za
www.iad.co.za